


RE: Wilcox Oil Company Superfund Site - Residential Data Results for indoor air and passive soil gas


This letter provides you with a summary of the passive soil gas and indoor air data results for your property.

PASSIVE SOIL GAS

During August 2016, passive soil gas samples were taken from several locations on your property. The sample locations were placed throughout the property within former refinery operation areas and former tank locations. Based on our review of the data, there is a potential for the generation of contaminated soil gases. As you can see from Table 1, several volatile compounds were detected throughout the property with the highest reported mass found within the northeastern portion of the process area.

Because data show the potential for the generation of contaminated gases, the indoor air and crawl space air was sampled to determine whether the gases are present under and within the home. As presented in the Indoor Air summary, some contaminants exceed the RSLs for indoor air samples collected from your property.





INDOOR AIR

Indoor air samples were collected from outside the home, within the crawlspace under the home, and within the home. Results are provided in Table 2. Based on our review of the data, some contaminants exceed the RSLs for indoor air in samples collected from the home. Although the RSLs for indoor air are exceeded, this is an indication that further evaluation may be needed.

The residential screening levels for indoor air represent conservative levels developed using risk assessment guidance from the EPA Superfund program. RSLs are considered by the Agency to be protective for humans (including sensitive groups) over a lifetime of exposure. RSLs are not cleanup standards and are used for site "screening" to help identify areas, contaminants, and conditions that may require further investigation at a particular site. Generally, at sites where contaminant concentrations fall below RSLs, no further action or study is warranted under the Superfund program, so long as the exposure assumptions at a site match those used to develop the RSL. Chemical concentrations above the RSL do not automatically trigger a response action. Exceeding the RSL, however, suggests that further evaluation of the potential risks by site contaminants is appropriate. In addition, further evaluation of the potential risks related to site contaminants that were detected in the air but have no RSL is appropriate. As we move forward with our site investigation, we will be evaluating these contaminants in more detail through a Site-specific Human Health Risk Assessment to determine the potential risks these contaminants may pose.

Thank you for your continued interest and support for this project. We would like to follow-up with you to discuss the data presented in this letter and answer any questions that you may have. We will contact you by phone to schedule a time that fits your schedule. In the interim, should you want to talk with us, please contact me at 214-665-8143, or 1-800-533-3508, or contact Todd Downham, Oklahoma Department of Environmental Quality at 405-702-5136.

Sincerely,

Katrina Higgins-Coltrain Remedial Project Manager LA/NM/OK Section

Table 1: Passive Soil Gas Results

| Sample ID: | WPA-H9 | WPA-K8 | WPA-P9 | WPA-Q2 | WPA-Q3 | WPA-Q10 |
|---------------------|----------|----------|----------|----------|----------|----------|
| Analysis Date: | 9/7/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 |
| Matrix: | Soil Gas |
| Units: | ng | ng | ng | ng | ng | ng |
| COMPOUNDS | | | | | | |
| Benzene | 244 | 40 | 592 | 108 | 112 | 2,648 |
| Toluene | 173 | <25 | 214 | 54 | 27 | 425 |
| Ethylbenzene | 27 | <25 | <25 | 29 | 29 | 5,146 |
| p & m-Xylene | 56 | <25 | 72 | 55 | 36 | 1,012 |
| o-Xylene | 25 | <25 | 45 | 25 | <25 | 516 |
| Naphthalene | <25 | 28 | 44 | <25 | <25 | 798 |
| 2-Methylnaphthalene | <25 | 68 | <25 | <25 | <25 | 342 |

| Sample ID: | WPA-R5 | WPA-R9 | WPA-S5 | WPA-S6 | WPA-S8 | WPA-S10 |
|---------------------|----------|----------|----------|----------|----------|----------|
| Analysis Date: | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 |
| Matrix: | Soil Gas |
| Units: | ng | ng | ng | ng | ng | ng |
| COMPOUNDS | | | | | | |
| Benzene | 37,093 | 263 | 96 | 82 | 47 | 545 |
| Toluene | 8,328 | 28 | 53 | 27 | <25 | 577 |
| Ethylbenzene | 9,402 | 81 | 30 | <25 | <25 | 53 |
| p & m-Xylene | 11,480 | 70 | 61 | 31 | 25 | 307 |
| o-Xylene | 3,476 | 25 | <25 | <25 | <25 | 214 |
| Naphthalene | <25 | 82 | <25 | 279 | <25 | 29 |
| 2-Methylnaphthalene | <25 | 42 | <25 | 524 | <25 | 28 |

| | WPA- | | | | | |
|---------------------|----------|-----------|-----------|----------|----------|----------|
| Sample ID: | S12 | WPA-S12-D | WPA-T3 | WPA-T4 | WPA-T5 | WPA-T7 |
| Analysis Date: | 9/8/2016 | 9/8/2016 | 9/13/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 |
| Matrix: | Soil Gas | Soil Gas | Soil Gas | Soil Gas | Soil Gas | Soil Gas |
| Units: | ng | ng | ng | ng | ng | ng |
| COMPOUNDS | | | | | | |
| Benzene | 21,205 | 15,404 | 36 | 34 | 52 | 8,826 |
| Toluene | 12,802 | 12,806 | 46 | 64 | 55 | 1,791 |
| Ethylbenzene | 9,429 | 8,415 | <25 | <25 | <25 | 532 |
| p & m-Xylene | 20,697 | 18,655 | 27 | 72 | 41 | 1,559 |
| o-Xylene | 17,670 | 16,900 | <25 | 27 | <25 | 607 |
| Naphthalene | 7,440 | 8,532 | <25 | <25 | <25 | 69 |
| 2-Methylnaphthalene | 15,846 | 15,262 | <25 | <25 | <25 | 100 |

Results in nanograms (ng).

Table 1: Passive Soil Gas Results

| | WPA-T7- | WPA- | WPA- | | | |
|-------------------|----------|----------|----------|----------|-----------|-----------|
| Sample ID: | D | T9 | T26 | WPA-U4 | WPA-U5 | WPA-U6 |
| Analysis Date: | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/8/2016 | 9/13/2016 | 9/13/2016 |
| Matrix: | Soil Gas | Soil Gas |
| Units: | ng | ng | ng | ng | ng | ng |
| COMPOUNDS | | | | | | |
| Benzene | 8,652 | 33 | <25 | <25 | 324 | 364 |
| Toluene | 1,895 | <25 | 32 | <25 | 437 | 173 |
| Ethylbenzene | 550 | <25 | <25 | 90 | 99 | 29 |
| p & m-Xylene | 1,761 | <25 | <25 | 48 | 318 | 95 |
| o-Xylene | 695 | <25 | <25 | 31 | 265 | 42 |
| Naphthalene | 64 | <25 | <25 | 1,056 | <25 | <25 |
| 2- | | | | | | |
| Methylnaphthalene | 101 | <25 | <25 | 4,083 | <25 | <25 |

| | | WPA- | WPA- | WPA- | WPA- | WPA- | WPA-X25- |
|-------------------|----------|----------|----------|----------|----------|----------|----------|
| Sample ID: | WPA-V3 | V7 | W8 | W13 | X15 | X25 | D |
| Analysis Date: | 9/8/2016 | 9/8/2016 | 9/9/2016 | 9/9/2016 | 9/9/2016 | 9/9/2016 | 9/9/2016 |
| Matrix: | Soil Gas |
| Units: | ng |
| COMPOUNDS | | | | | | | |
| Benzene | 545 | <25 | 28 | 26 | 25 | 35 | 33 |
| Toluene | 263 | 27 | <25 | <25 | <25 | <25 | <25 |
| Ethylbenzene | 29 | <25 | <25 | <25 | <25 | <25 | <25 |
| p & m-Xylene | 91 | <25 | <25 | <25 | 40 | <25 | <25 |
| o-Xylene | 57 | <25 | <25 | <25 | 47 | <25 | <25 |
| Naphthalene | 27 | 48 | <25 | <25 | 2,145 | <25 | <25 |
| 2- | | | | | | | |
| Methylnaphthalene | 37 | 122 | <25 | <25 | 10,027 | 29 | <25 |

Results in nanograms (ng).

Table 2: Air Sample Detection Summary Wilcox Process Area

| ID | Analyte | Sample Date | Result (µg/m³) | RSL (μg/m³) |
|-------------|-------------------------|-------------|-------------------|----------------|
| | Acetone* | 9/21/2016 | 39.5 | 32000 |
| | Chloroform | 9/21/2016 | 0.93 | 0.12 |
| | Chloromethane | 9/21/2016 | 8.98 | 94 |
| | 1,4-Dichlorobenzene | 9/21/2016 | 1.08 | 0.26 |
| | Dichlorodifluoromethane | 9/21/2016 | 2.23 | 100 |
| | Benzene | 9/21/2016 | 5.57 | 0.36 |
| | Ethylbenzene | 9/21/2016 | 1.44 | 1.1 |
| -04 | n-Hexane | 9/21/2016 | 1.27 | 730 |
| WPA-IA-04 | Styrene | 9/21/2016 | 2.22 | 1000 |
| VPA | 1,3-Butadiene | 9/21/2016 | 11.7 | 0.094 |
| > | Toluene | 9/21/2016 | 10.2 | 5200 |
| | Trichlorofluoromethane | 9/21/2016 | 1.58 | |
| | 2-Butanone | 9/21/2016 | 6.47 | 5200 |
| | 1,2,4-Trimethylbenzene | 9/21/2016 | 1.43 | 2.1 |
| | Vinyl acetate | 9/21/2016 | 3.88 | 210 |
| | meta-/para-Xylene | 9/21/2016 | 4.31 | 100 |
| | ortho-Xylene | 9/21/2016 | 1.09 | 100 |
| | Acetone* | 9/21/2016 | 11.0 | 32000 |
| - | Chloromethane | 9/21/2016 | 1.37 | 94 |
| 70-S | Dichlorodifluoromethane | 9/21/2016 | 2.38 | 100 |
| WPA-CS-04 | Benzene | 9/21/2016 | 0.74 | 0.36 |
| NP, | Toluene | 9/21/2016 | 3.13 | 5200 |
| | Trichlorofluoromethane | 9/21/2016 | 1.58 | |
| | 2-Butanone | 9/21/2016 | 0.98 | 5200 |
| | Acetone* | 9/21/2016 | 24.7 | 32000 |
| WPA-VIBG-02 | Chloromethane | 9/21/2016 | 1.57 | 94 |
| | Dichlorodifluoromethane | 9/21/2016 | 2.33 | 100 |
| ļ. | Benzene | 9/21/2016 | 0.32 | 0.36 |
| VPA | 2-Butanone | 9/21/2016 | 2.19 | 5200 |
| > | n-Hexane | 9/21/2016 | 1.27 | 730 |
| | 2-Butanone | 9/21/2016 | 2.19 | 5200 |

NOTES:

RSL = Regional Screening Level for Residential Air ("EPA Screening Level Summary Table May 2016").

* = Flagged because the analyte concentration was high in the certification blanks or lab method blanks.

WPA = Wilcox Process Area

CS = Crawl space vapor sample.

IA = Indoor air sample.

VIBG = Vapor intrusion background air sample.